Regulatory Peptides, 18 (1987) 335-337
Elsevier

Author index

Ahren, B., see Dunning, B.E., 253
Amenta, F., see Geppetti, P., 321
Andreini, R., see Panconesi, A., 267
Anselmi, B., see Panconesi, A., 267

Barnes, C.D., see Chan, J.Y.H., 75
Beglinger, C., see Hildebrand, P., 213
Biella, G., see Pecile, A., 189
Bloom, S.R., see Unwin, R.J., 29
Boland, D. and Goren, H.J.
Binding and structural properties of oxytocin receptors in isolated rat epididymal adipocytes, 7
Borer, K.T., see Shapiro, B., 85
Braga, P.C., see Pecile, A., 189
Buckenham, K.E., see Vaccarino, F.J., 165
Böttcher, G., see Dunning, B.E., 253

Calam, J., see Unwin, R.J., 29
Caldwell, J.D., Mason, G.A., Stanley, D.A., Jerdack, G., Hruby, V.J., Hill, P., Prange Jr., A.J. and Pedersen, C.A.
Effects of nonapeptide antagonists on oxytocin- and arginine-vasopressin-induced analgesia in mice, 233
Carney, J.A., see Roddy, D.R., 201
Carraway, R.E. and Mitra, S.P.
Precursor forms of neurotensin (NT) in cat: processing with pepsin yields NT-(3–13) and NT-(4–13), 139
Chan, J.Y.H., Chan, S.H.H., Chen, C.F. and Barnes, C.D.
Effects of bestatin on the central cardiovascular regulatory mechanisms in the rat, 75
Chan, S.H.H., see Chan, J.Y.H., 75
Charro, A.L., see Torres-Aleman, I., 19
Chen, C.F., see Chan, J.Y.H., 75
Chen, C.F., see Mogard, M.H., 221

Dantzer, R., see Tazi, A., 37
Davison, J.S., see Perdue, M.H., 63
DeCherney, G.S., see Nicholson, W.E., 173
Debeljuk, L., see Torres-Aleman, I., 19
Del Bianco, P.L., see Panconesi, A., 267
Donoff, B., see Rangachari, P.K., 101
Dunning, B.E., Ahren, B., Böttcher, G., Sundler, F. and Taborsky Jr., G.J.
The presence and actions of NPY in the canine endocrine pancreas, 253
Dupre, J., see Schnuerer, E.M., 307

Eberle, A.N., see Lucas, A., 43

Fahrenkrug, J., Holst Pedersen, J., Yamashita, Y., Ottesen, B., Hökfelt, T. and Lundberg, J.M.
Occurrence of VIP and peptide HM in human pancreas and their influence on pancreatic endocrine secretion in man, 51
Ferguson, A.V. and Kasting, N.W.
Activation of subfornical organ efferents stimulates oxytocin secretion in the rat, 93
Fernández, M., see Torres-Aleman, I., 19
Fig, L.M., see Shapiro, B., 85
Franchi, G., see Panconesi, A., 267
Freedman, J., see Post, C., 243
Frilli, S., see Geppetti, P., 321
Fujimura, M., see Lluis, F., 155
Fujio, N., Ohashi, M., Nawate, H., Kato, K., Tateishi, J., Matsuo, H. and Ibayashi, H.
Unique distributions of natriuretic hormones in dog brain, 131

Gaillard, R.C., see Guillon, G., 119
Galbraith, R., see Perdue, M.H., 63
Geppetti, P., Maggi, C.A., Zecchi-Orlandini, S., Santicioli, P., Meli, A., Frilli, S., Spillantini, M.G. and Amenta, F.
Substance P-like immunoreactivity in capsaicin-sensitive structures of the rat thymus, 321
Gingerich, R.L., see Greider, M.H., 299
Girard, J., see Lucas, A., 43
Go, V.L.W., see Roddy, D.R., 201
Gomez, G., see Lluis, F., 155
Goren, H.J., see Boland, D., 7
Greeley Jr., G.H., see Lluis, F., 155
Greider, M.H., Scharp, D.W. and Gingerich, R.L.

Enhanced preservation of endosecretory granules in PP-cells of the canine pancreas, 299
Guidobono, F., see Pecile, A., 189
Guillon, G., Gaillard, R.C., Kehrer, P., Schoenenberg, P., Muller, A.F. and Jard, S.
Vasopressin and angiotensin induce inositol lipid breakdown in rat adenohypophysial cells in primary culture, 119
Gyr, K., see Hildebrand, P., 213

Hagiwara, M., see Mogard, M.H., 221
Hanson, C., see Unwin, R.J., 29
Hildebrand, P., Beglinger, C., Köhler, E., Setnikar, I. and Gyr, K.
Biological effects of a proglumide dervative as cholecystokinin antagonist in conscious dogs, 213
Hill, P., see Caldwell, J.D., 233
Holst Pedersen, J., see Fahrenkrug, J., 51
Hruby, V.J., see Caldwell, J.D., 233
Hyman, P.E., see Snape Jr., W.J., 287
Hökfelt, T., see Fahrenkrug, J., 51
Hökfelt, T., see Post, C., 243

Ibayashi, H., see Fujio, N., 131

Jackson, R.V., see Nicholson, W.E., 173
Jard, S., see Guillon, G., 119
Jerdack, G., see Caldwell, J.D., 233

Kao, H.W., see Snape Jr., W.J., 287
Kasting, N.W., see Ferguson, A.V., 93
Kato, A., see Tateishi, K., 277
Kato, K., see Fujio, N., 131
Kehrer, P., see Guillon, G., 119
Kobayashi, R., see Mogard, M.H., 221
Koch, T.R., see Roddy, D.R., 201
Köhler, E., see Hildebrand, P., 213
Koob, G.F., see Tazi, A., 37

Le Moal, M., see Tazi, A., 37
Lee, T.D., see Mogard, M.H., 221
Lee, Y.C., see Unwin, R.J., 29
Leung, F., see Mogard, M.H., 221
Lluis, F., Gomez, G., Fujimura, M., Greeley Jr., G.H., Townsend Jr., C.M. and Thompson, J.C.
Peptide YY interacts with secretin and duodenal acidification to inhibit gastric acid secretion, 155
Lucas, A., Shuster, S., Thody, A.J., Eberle, A.N. and Girard, J.
A comparison of structure–activity relationships within α-MSH on melanophores of *Anolis carolinensis* and *Rana pipiens*, 43
Lundberg, J.M., see Fahrenkrug, J., 51

Maggi, C.A., See Geppetti, P., 321
Mason, G.A., see Caldwell, J.D., 233
Matsuo, H., see Fujio, N., 131
Matsuoka, Y., see Tateishi, K., 277
McChesney, D.J., see Williams, J.A., 109
McDonald, T.J., see Schnuerer, E.M., 307
McWade, D., see Rangachari, P.K., 101
Meli, A., see Geppetti, P., 321
Mitra, S.P., see Carraway, R.E., 139
Miura, Y., see Tateishi, K., 277
Mogard, M.H., Kobayashi, R., Lee, T.D., Chen, C.F., Hagiwara, M., Leung, F., Reeve Jr., J.R., Shively, J.E. and Walsh, J.H.
Neurotensin-like immunoreactivity generated by pepsin from human plasma and gastric tissue, 221
Mori, A., see Sora, Y.H., 1
Muller, A.F., see Guillon, G., 119

Nawate, H., see Fujio, N., 131
Netti, C., see Pecile, A., 189
Nicholson, W.E., DeCherney, G.S., Jackson, R.V. and Orth, D.N.
Pituitary and hypothalamic hormones in normal and neoplastic adrenal medullae: biologically active corticotropin-releasing hormone and corticotropin, 173

Ogawa, N., see Sora, Y.H., 1
Ohashi, M., see Fujio, N., 131
Orth, D.N., see Nicholson, W.E., 173
Ottesen, B., see Fahrenkrug, J., 51

Panconesi, A., Del Bianco, P.L., Franchi, G., Anselmi, B. and Andreini, R.
Somatostatin: peripheral venoconstrictive activity and interaction with monoamines in man, 267
Paulsson, I., see Post, C., 243
Peart, W.S., see Unwin, R.J., 29
Pecile, A., Guidobono, F., Netti, C., Sibilia, V., Biella, G. and Braga, P.C.
Calcitonin gene-related peptide: antinociceptive activity in rats, comparison with calcitonin, 189
Pedersen, C.A., see Caldwell, J.D., 233
Perdue, M.H., Galbraith, R. and Davison, J.S.
Evidence for substance P as a functional neurotransmitter in guinea pig small intestinal mucosa, 63

Post, C., Freedman, J., Paulsson, I. and Hökfelt, T.
Antinociceptive effects in mice after intrathecal injection of a substance P receptor antagonist, Spantide: lack of 'neurotoxic' action, 243
Prange Jr., A.J., see Caldwell, J.D., 233

Rangachari, P.K., McWade, D. and Donoff, B.
Luminal tachykinin receptors on canine tracheal epithelium: functional subtyping, 101
Reeve Jr., J.R., see Mogard, M.H., 221
Reilly, W.M., see Roddy, D.R., 201
Rivier, J., see Tazi, A., 37
Roddy, D.R., Koch, T.R., Reilly, W.M., Carney, J.A. and Go, V.L.W.,
Identification and distribution of immunoreactive peptide YY in the human, canine, and murine gastrointestinal tracts: species-related antibody recognition differences, 201

Santicioli, P., see Geppetti, P., 321
Sato, S., see Tateishi, K., 277
Scharp, D.W., see Greider, M.H., 299
Schnuerer, E.M., McDonald, T.J. and Dupre, J.
Inhibition of insulin release by galanin and gastrin-releasing peptide in the anaesthetized rat, 307
Schoenenberg, P., see Guillon, G., 119
Setnikar, I., see Hildebrand, P., 213
Shapiro, B., Borer, K.T., Fig, L.M. and Vinik, A.I.
Exercise-induced hyperphagia in the hamster is associated with elevated plasma somatostatin-like immunoreactivity, 85
Shively, J.E., see Mogard, M.H., 221
Shuster, S., see Lucas, A., 43
Sibilia, V., see Pecile, A., 189
Shape Jr., W.J., Tan, S.T., Kao, H.W. and Hyman, P.E.
Mechanism of neurotensin depolarization of rabbit colonic smooth muscle, 287
Sora, Y.H., Ogawa, N. and Mori, A.
Changes in rat liver cyclo(His-Pro) binding sites upon castration and testosterone administration, 1
Spillantini, M.G., see Geppetti, P., 321
Stanley, D.A., see Caldwell, J.D., 233
Sundler, F., see Dunning, B.E., 253
Suzuki, K., see Tateishi, K., 277

Taborsky Jr., G.J., see Dunning, B.E., 253
Tan, S.T., see Snape Jr., W.J., 287
Tateishi, J., see Fujio, N., 131
Tateishi, K., Sato, S., Kato, A., Suzuki, K., Miura, Y. and Matsuoka, Y.
Reduced somatostatin-like immunoreactivity in the brain of dogs with an Eck fistula, 277
Tazi, A., Dantzer, R., Le Moal, M., Rivier, J., Vale, W. and Koob, G.F.
Corticotropin-releasing factor anatagonist blocks stress-induced fighting in rat, 37
Thody, A.J., see Lucas, A., 43
Thompson, J.C., see Lluis, F., 155
Torres-Aleman, I., Fernández, M., Debeljuk, L. and Charro, A.L.
Effect of [D-Trp^6]LHRH infusion on prolactin secretion by perifused rat pituitary cells, 19
Townsend Jr., C.M., see Lluis, F., 155

Unwin, R.J., Calam, J., Peart, W.S., Hanson, C., Lee, Y.C. and Bloom, S.R. Renal function during bovine neurotensin infusion in man, 29

Vaccarino, F.J. and Buckenham, K.E.
Naloxone blockade of growth hormone-releasing factor-induced feeding, 165
Vale, W., see Tazi, A., 37
Vinik, A.I., see Shapiro, B., 85

Walsh, J.H., see Mogard, M.H., 221
Williams, J.A. and McChesney, D.J.
Cholecystokinin induces the interaction of its receptor with a guanine nucleotide binding protein, 109

Yamashita, Y., see Fahrenkrug, J., 51

Zecchi-Orlandini, S., see Geppetti, P., 321

Regulatory Peptides, 18 (1987) 338-340
Elsevier

Subject index

Accelerated growth, Hyperphagia, Somatostatin, 85
Acetylcholine, Antibody, Intestinal epithelium, Enteric nervous system, 63
Adenosine, *N*-Ethyl maleimide, Dithiothreitol, [^{3}H]Oxytocin, Trypsin, Chymotrypsin, 7
Adrenal medulla, Bioactive pituitary-hypothalamic peptide, 173
Airway, Peptide receptor, Bradykinin, Cross-tachyphylaxis, 101
Analgesia, Mouse, Substance P antagonist, Histology, Spinal cord, 243
Analgesia, Oxytocin, Vasopressin, Antagonist, Intracisternal, Mouse, 233
Anesthetized rat, Galanin, Gastrin-releasing peptide, Neuropeptide, Insulin inhibition, Glucose-dependent insulinotropic peptide, 307
Antagonist, Oxytocin, Vasopressin, Analgesia, Intracisternal, Mouse, 233
Antibody, Intestinal epithelium, Enteric nervous system, Acetylcholine, 63
Aromatic amino acid, Hepatic encephalopathy, 277
Artial natriuretic peptide, Periaqueductal grey, Radioimmunoassay, Digoxin-like immunoreactivity, 131

Baroreceptor reflex sensitivity and modulation, Bestatin, Degradative enzyme inhibitor, Endogenous neuropeptide, Nucleus reticularis gigantocellularis, Rat, 75
Bestatin, Degradative enzyme inhibitor, Endogenous neuropeptide, Baroreceptor reflex sensitivity and modulation, Nucleus reticularis gigantocellularis, Rat, 75
Bioactive pituitary-hypothalamic peptide, Adrenal medulla, 173
Bradykinin, Airway, Peptide receptor, Cross-tachyphylaxis, 101

C-peptide, Immunohistochemistry, Insulin, Neuropeptide, Pancreatic glucagon, 51
Calcitonin, Calcitonin gene-related peptide, Nociception, 189
Calcitonin gene-related peptide, Calcitonin, Nociception, 189
Calcium, Corticotropin-releasing factor, Corticotrophic cell, Lactotrophic cell, Vasopressin receptor, Vasopressin antagonist, 119
Calcium, Sodium, Sucrose gap, Microelectrode, Membrane conductance, 287
Capsaicin, Thymus, Substance P, Somatostatin, 6-Hydroxydopamine, 321
Castration, Histidyl-proline diketopiperazine [cyclo(His-Pro)], Receptor binding, Sex difference, Testosterone, 1
Cat ileum, Neurotensin, Prohormone processing, Radioimmunoassay, 139
Cholecystokinin, Guanine nucleotide-binding protein, Pancreas, 109
Cholecystokinin antagonist, Pancreatic secretion, Dog, 213
Chymotrypsin, *N*-Ethyl maleimide, Dithiothreitol, Adenosine, [^{3}H]Oxytocin, Trypsin, 7
Corticotropin-releasing factor (CRF), α-Helical CRF-(9–41), Stress, 37
Corticotropin-releasing factor, Corticotrophic cell, Lactotrophic cell, Vasopressin receptor, Vasopressin antagonist, Calcium, 119
Corticotrophic cell, Corticotropin-releasing factor, Lactotrophic cell, Vasopressin receptor, Vasopressin antagonist, Calcium, 119
Cross-tachyphylaxis, Airway, Peptide receptor, Bradykinin, 101

Degradative enzyme inhibitor, Bestatin, Endogenous neuropeptide, Baroreceptor reflex sensitivity and modulation, Nucleus reticularis gigantocellularis, Rat, 75
Diet, Electrolyte, Kidney, Neuropeptide, Renin, Sodium, Urine, 29
Digoxin-like immunoreactivity, Periaqueductal grey, Radioimmunoassay, Atrial natriuretic peptide, 131
Dithiothreitol, *N*-Ethyl maleimide, Adenosine, [^{3}H]Oxytocin, Trypsin, Chymotrypsin, 7
Dog, Pancreatic secretion, Cholecystokinin antagonist, 213

Electrolyte, Diet, Kidney, Neuropeptide, Renin, Sodium, Urine, 29
Electron-dense granule, Pancreatic polypeptide, 299
Endogenous neuropeptide, Bestatin, Degradative enzyme inhibitor, Baroreceptor reflex sensitivity and modulation, Nucleus reticularis gigantocellularis, Rat, 75
Enteric nervous system, Acetylcholine, Intestinal epithelium, Antibody, 63
Enterogastrone, Secretin radioimmunoassay, Pentagastrin, 155
***N*-Ethyl maleimide**, Dithiothreitol, Adenosine, [^{3}H]Oxytocin, Trypsin, Chymotrypsin, 7

Food intake, Opioid, Growth hormone-releasing factor, 165

Galanin, Gastrin-releasing peptide, Neuropeptide, Insulin inhibition, Anesthetized rat, Glucose-dependent insulinotropic peptide, 307
Gastrin-releasing peptide, Galanin, Neuropeptide, Insulin inhibition, Anesthetized rat, Glucose-dependent insulinotropic peptide, 307
Gastrointestinal hormone, Peptide YY, Radioimmunoassay, 201
Glucagon, Insulin, Somatostatin, Sympathetic nervous system, Neuropeptide tyrosine, 253
Glucose-dependent insulinotropic peptide, Galanin, Gastrin-releasing peptide, Neuropeptide, Insulin inhibition, Anesthetized rat, 307
Growth hormone-releasing factor, Opioid, Food intake, 165
Guanine nucleotide-binding protein, Cholecystokinin, Pancreas, 109

α-Helical CRF-(9–41), Corticotropin-releasing factor (CRF), Stress, 37
Hepatic encephalopathy, Aromatic amino acid, 277
Histidyl-proline diketopiperazine [cyclo(His-Pro)], Receptor binding, Sex difference, Castration, Testosterone, 1
Histology, Mouse, Substance P antagonist, Analgesia, Spinal cord, 243
Human, Kinetensin, Neurotensin, Pepsin, Serum albumin, Stomach, 221
Human vein, Potentiation, Tachyphylaxis, 267
6-Hydroxydopamine, Thymus, Substance P, Somatostatin, Capsaicin, 321
Hyperphagia, Accelerated growth, Somatostatin, 85

Immunohistochemistry, C-peptide, Insulin, Neuropeptide, Pancreatic glucagon, 51
Insulin inhibition, Galanin, Gastrin-releasing peptide, Neuropeptide, Anesthetized rat, Glucose-dependent insulinotropic peptide, 307
Insulin, C-peptide, Immunohistochemistry, Neuropeptide, Pancreatic glucagon, 51
Insulin, Glucagon, Somatostatin, Sympathetic nervous system, Neuropeptide tyrosine, 253
Intestinal epithelium, Enteric nervous system, Acetylcholine, Antibody, 63
Intracisternal, Oxytocin, Vasopressin, Analgesia, Antagonist, Mouse, 233
In vitro pituitary perifusion, Prolactin, D-Trp^6 analog of LHRH, 19

Kidney, Diet, Electrolyte, Neuropeptide, Renin, Sodium, Urine, 29
Kinetensin, Human, Neurotensin, Pepsin, Serum albumin, Stomach, 221

Lactotrophic cell, Corticotropin-releasing factor, Corticotrophic cell, Vasopressin receptor, Vasopressin antagonist, Calcium, 119

Melanosome dispersion, α-MSH peptide fragment, α-MSH analogue, 43
Membrane conductance, Sodium, Calcium, Sucrose gap, Microelectrode, 287
Microelectrode, Sodium, Calcium, Sucrose gap, Membrane conductance, 287
Mouse, Oxytocin, Vasopressin, Analgesia, Antagonist, Intracisternal, 233
Mouse, Substance P antagonist, Analgesia, Histology, Spinal cord, 243
α-MSH analogue, Melanosome dispersion, α-MSH peptide fragment, 43
α-MSH peptide fragment, Melanosome dispersion, α-MSH analogue, 43

Neuropeptide, Diet, Electrolyte, Kidney, Renin, Sodium, Urine, 29
Neuropeptide, C-peptide, Immunohistochemistry, Insulin, Pancreatic glucagon, 51
Neuropeptide tyrosine, Insulin, Glucagon, Somatostatin, Sympathetic nervous system, 253
Neuropeptide, Galanin, Gastrin-releasing peptide, Insulin inhibition, Anesthetized rat, Glucose-dependent insulinotropic peptide, 307
Neurotensin, Prohormone processing, Radioimmunoassay, Cat ileum, 139
Neurotensin, Human, Kinetensin, Pepsin, Serum albumin, Stomach, 221

Nociception, Calcitonin, Calcitonin gene-related peptide, 189.
Nucleus reticularis gigantocellularis, Bestatin, Degradative enzyme inhibitor, Endogenous neuropeptide, Baroreceptor reflex sensitivity and modulation, Rat, 75

Opioid, Food intake, Growth hormone-releasing factor, 165
Oxytocin, Subfornical organ, 93
Oxytocin, Vasopressin, Analgesia, Antagonist, Intracisternal, Mouse, 233
[^{3}H]Oxytocin, *N*-Ethyl maleimide, Dithiothreitol, Adenosine, Trypsin, Chymotrypsin, 7

Pancreas, Cholecystokinin, Guanine nucleotide-binding protein, 109
Pancreatic glucagon, C-peptide, Immunohistochemistry, Insulin, Neuropeptide, 51
Pancreatic secretion, Cholecystokinin antagonist, Dog, 213
Pancreatic polypeptide, Electron-dense granule, 299
Pentagastrin, Secretin radioimmunoassay, Enterogastrone, 155
Pepsin, Human, Kinetensin, Neurotensin, Serum albumin, Stomach, 221
Peptide YY, Gastrointestinal hormone, Radioimmunoassay, 201
Peptide receptor, Airway, Bradykinin, Cross-tachyphylaxis, 101
Periaqueductal grey, Radioimmunoassay, Atrial natriuretic peptide, Digoxin-like immunoreactivity, 131
Potentiation, Human vein, Tachyphylaxis, 267
Prohormone processing, Neurotensin, Radioimmunoassay, Cat ileum, 139
Prolactin, D-Trp^6 analog of LHRH, In vitro pituitary perifusion, 19

Radioimmunoassay, Periaqueductal grey, Atrial natriuretic peptide, Digoxin-like immunoreactivity, 131
Radioimmunoassay, Neurotensin, Prohormone processing, Cat ileum, 139
Radioimmunoassay, Peptide YY, Gastrointestinal hormone, 201
Rat, Bestatin, Degradative enzyme inhibitor, Endogenous neuropeptide, Baroreceptor reflex sensitivity and modulation, Nucleus reticularis gigantocellularis, 75
Receptor binding, Histidyl-proline diketopiperazine [cyclo(His-Pro)], Sex difference, Castration, Testosterone, 1
Renin, Diet, Electrolyte, Kidney, Neuropeptide, Sodium, Urine, 29

Secretin radioimmunoassay, Enterogastrone, Pentagastrin, 155
Serum albumin, Human, Kinetensin, Neurotensin, Pepsin, Stomach, 221
Sex difference, Histidyl-proline diketopiperazine [cyclo(His-Pro)], Receptor binding, Castration, Testosterone, 1
Sodium, Calcium, Sucrose gap, Microelectrode, Membrane conductance, 287
Sodium, Diet, Electrolyte, Kidney, Neuropeptide, Renin, Urine, 29
Somatostatin, Hyperphagia, Accelerated growth, 85
Somatostatin, Insulin, Glucagon, Sympathetic nervous system, Neuropeptide tyrosine, 253
Somatostatin, Thymus, Substance P, Capsaicin, 6-Hydroxydopamine, 321
Spinal cord, Mouse, Substance P antagonist, Analgesia, Histology, 243
Stomach, Human, Kinetensin, Neurotensin, Pepsin, Serum albumin, 221
Stress, Corticotropin-releasing factor (CRF), α-Helical CRF-(9–41), 37
Subfornical organ, Oxytocin, 93
Substance P antagonist, Mouse, Analgesia, Histology, Spinal cord, 243
Substance P, Thymus, Somatostatin, Capsaicin, 6-Hydroxydopamine, 321
Sucrose gap, Sodium, Calcium, Microelectrode, Membrane conductance, 287
Sympathetic nervous system, Insulin, Glucagon, Somatostatin, Neuropeptide tyrosine, 253

Tachyphylaxis, Human vein, Potentiation, 267
Testosterone, Histidyl-proline diketopiperazine [cyclo(His-Pro)], Receptor binding, Sex difference, Castration, 1
Thymus, Substance P, Somatostatin, Capsaicin, 6-Hydroxydopamine, 321
D-Trp^6 analog of LHRH, Prolactin, In vitro pituitary perifusion, 19
Trypsin, *N*-Ethyl maleimide, Dithiothreitol, Adenosine, [^{3}H]Oxytocin, Chymotrypsin, 7

Urine, Diet, Electrolyte, Kidney, Neuropeptide, Renin, Sodium, 29

Vasopressin receptor, Corticotropin-releasing factor, Corticotrophic cell, Lactotrophic cell, Vasopressin antagonist, Calcium, 119
Vasopressin antagonist, Corticotropin-releasing factor, Corticotrophic cell, Lactotrophic cell, Vasopressin receptor, Calcium, 119
Vasopressin, Oxytocin, Analgesia, Antagonist, Intracisternal, Mouse, 233